

## **HEARTBURN AND GAS ANTACID CHEWS- calcium carbonate tablet, chewable DOLGENCORP, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Calcium Carbonate 750 mg  
Simethicone 80 mg**

### **Active ingredients (in each chew)**

Calcium carbonate 750 mg

Simethicone 80 mg

### **Purpose**

Antacid

Anti-gas

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach associated with these symptoms

Bloating, pressure or stuffed feeling commonly referred to as gas

### **Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

Directions

Adults and children 12 years and older - chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours.

Children under 12 years - consult a doctor.

### **Other information:**

Each chew contains: calcium 300 mg

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, natural and artificial flavors, hydrogenated coconut oil, modified corn starch, phosphoric acid, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions? Call (888)-309-9030**

**Drug Facts (continued)**


**Other information**  
 ■ Each chew contains: calcium 300mg ■ Store between 20° to 25°C (68° to 77°F) in a dry place ■ Close cap tightly after use.

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, natural & artificial flavors, hydrogenated coconut oil, modified corn starch, phosphoric acid, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions? Call (888)-309-9030.**

\*This product is not manufactured or distributed by Bayer, owner of the registered trademark Aliko-Seltzer® or any of its affiliates.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

 DISTRIBUTED BY DOLGENCORP, LLC  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**DG health**

**Extra Strength**

**Heartburn & Gas**

**Antacid Chews**

Calcium Carbonate/Antacid 750mg  
Simethicone/Anti-Gas 80mg

Digestive relief for:

- Heartburn
- Sour stomach
- Gas pressure and bloating

Mixed Berry Flavor

**32 Chews**

**Drug Facts**

**Active ingredients (in each chew)**

Calcium carbonate 750 mg.....	Antacid
Simethicone 80 mg.....	Anti-gas

**Uses:** Relieves  
 ■ Heartburn ■ Sour stomach ■ Acid indigestion ■ Upset stomach associated with these symptoms ■ Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients  
**Ask a doctor or pharmacist before use** if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.  
 Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.  
**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.**

**Directions** Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

A1034 PN-217981

Gluten Free

0 70312 30043 3

## HEARTBURN AND GAS ANTACID CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-077
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	DR
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-077-32	32 in 1 BOTTLE; Type 0: Not a Combination Product	02/28/2017	



### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	02/28/2017	

**Labeler** - DOLGENCORP, LLC (068331990)

**Registrant -** Bestco Inc. (002149136)

## Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(55910-077)

Revised: 11/2021

DOLGENCORP, LLC